

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24475

Stream : Pleasant Run Creek

Applicant : St. Francis Hospital
Toby Orme
1600 Albany Street
Beech Grove, IN 46107-1541

Description : The proposed parking location is within the limits of the original Pleasant Run Creek floodway location. A commercial facility will be developed over the original Pleasant Run Creek site to provide parking and access drives for the St Francis Hospital. The facility will consist of a parking area and private drives constructed on compacted fill. The fill will cover the entire floodway area. It will have a finished elevation varying from 826', NGVD to 830.5', NGVD. The parking area and private drives will be constructed finished elevation of the fill. The lowest elevation of the parking lot and private drives will be 826', NGVD. Details of the project are contained in information received electronically at the Division of Water on September 7, 2007 and in plans and information received at the Division of Water on

Location : Beginning just west of the Interstate 65 stream crossing extending approximately 825' south and 800' west
at Indianapolis, Franklin Township, Marion County
E½, NW¼, Section 22, T 14N, R 4E, Location, Beech Grove Quadrangle
Quad Code: 3908661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24476

Stream : Big Blue River

Applicant : Healthy Communities of Henry County
Elizabeth Whitmer
PO Box 921
New Castle, IN 47362-0921

Description : An approximately 200' x 12' area will be filled in the left floodplain of Big Blue River for the proposed multi-use trail. The fill will vary in depth from 0" on the landward side to approximately 4 ft on the streamward side. The finished elevation of the fill will vary from 979.0', NGVD to 982.0', NGVD along proposed profile grade of trail. A bituminous pavement pedestrian pathway will be constructed on top of the completed fill. The fill material will be structural backfill in accordance with INDOT specifications behind a proposed concrete cantilever retaining wall approximately 120' in length. Just upstream of the proposed retaining wall, the confluence of Penns Run with the Big Blue River will also be spanned with a proposed 75' long weathering steel truss bridge which will span the entire Penns Run flow area as well as adjacent low lying areas to encourage the development of wetland vegetation. Details of the project are contained in information received electronically at the Division of Water on September 7, 2007 and in plans and information received at the Division of Water on

Location : Along the southern side of the Big Blue River approximately 4200' downstream of CR 200 N and continuing downstream approximately 1000' to just downstream of the Norfolk & Southern Railroad crossing over the river
near New Castle, Henry Township, Henry County
Section 3, T 17N, R 10E, New Castle East Quadrangle
Quad Code: 3908583

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24477

Stream : Buck Creek

Applicant : Panhandle Eastern Pipe Line Company
Ralph Oakley
8910 Purdue Road, Suite 300
Indianapolis, IN 46268-1192

Description : A system of Articulating Grout Mats (100x25, 40x25, 45x60) consisting a double-layer, synthetic fabric woven into a matrix of rectangular compartments. The compartments shall contain high-strength polyester cables pumped full of a sand cement mixture, over filter fabric. this will be used to cover an existing exposed pipeline. the project will include the cutting and contouring of hte project area to acceptable slopes. Details of the project are contained in information received electronically at the Division of Water on September 7, 2007 and in plans and information received at the Division of Water on

Location : Approximately 900' (300 yards) upstream of it's confluence with Raccoon Creek near Hillsdale, Vermillion Township, Vermillion County
Section 33, T 16N, R 9W

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24478

Stream : Prairie Creek

Applicant : Mattcon General Contractors
Pete Mattingly
PO Box 98
Zionsville, IN 46077-0098

Description : A stormwater outfall structure will be constructed along the west (left) bank of Prairie Creek to provide Mattcon General Contractors located landward of the floodway. A 18" HDPE outfall pipe will be buried to a depth of approximately 2' in the floodplain. The 2600' long pipe will carry stormwater from the project area of 1805 Indianapolis Ave area to the creek. The pipe will terminate with a concrete end section that will conform to the bank slope. A flapgate will be placed at the end of the pipe to prevent backflow into the HDPE pipe. An energy dissipator will be constructed at the base of the end section. The dissipator will consist of a rip-rap. Details of the project are contained in information received electronically at the Division of Water on September 7, 2007 and in plans and information received at the Division of Water on

Location : Project is located at 1805 Indianapolis, Ave in Lebanon Indiana; Boone County. It is approximately 2600 feet west of Prairie Creek. The finished project of the site will be approximately 1.27 acres of developed business.
Near Lebanon, Center Township, Boone County
Section 6, T 18N, R 1E, Lebanon Quadrangle
Quad Code: 4008614

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24480

Stream : West Fork White River

Applicant : Conner Prairie Museum
Ken Bulp
13400 Allisonville Road
Fishers, In 46038-4499

Description : Two (2) 150' x 200' areas will be filled in the south floodplain of West Fork White River for the construction of a Civil War Re-Enactment Battlefields. The fill will vary in depth from 6" to approximately 4'. It will be constructed approximately 500' back from the top of the bank and have 4:1 sideslopes. The finished elevation of the fill will be 744', NGVD. The proposed gun emplacements will be constructed on top of the completed fill. The fill material will excavated from a proposed sunken dirt road that is to be constructed between the proposed gun emplacements. The dirt road is approximately 18'. wide x 500'. in length with a depth from 6" to approximately 2'. Details of the project are contained in information received electronically at the Division of Water on September 10, 2007 and in plans and information received at the Division of Water on

Location : Along the south side of the West Fork White River, west of Allisonville Road on the Conner Prairie Museum property
near Fishers, Delaware Township, Hamilton County
Section 24, T 18N, R 4E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24486

Stream : Big Walnut Creek

Applicant : Rockies Express Pipeline LLC
Alice Weekley
500 Dallas Street, Suite 1000
Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Big Walnut Creek to transport natural gas produced in the Rocky Mountain basins for delivery to other pipelines and distribution customers located in the upper Midwest and Eastern U.S. The pipeline will be placed by the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on September 13, 2007 and in plans and information received at the Division of Water on

Location : The pipeline will cross Big Walnut Creek about 0.7 mile south of the Baker's Camp Covered Bridge along County Road 650 N; the bridge spans Big Walnut Creek
near Bainbridge, Floyd Township, Putnam County
Section 17, T 15N, R 3W, Greencastle Quadrangle
Quad Code: 3908667

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20860

Lake : Fish Lake

Applicant : Fish/Royer Lake Association
David Arrington
5000 East 100 South
LaGrange, IN 46761-9594

Description : An existing 30' by 650' channel will be dredged. Approximately 7000 cubic yards of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 7' at the center of the channel and sloping uniformly to a depth of 1' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on August 16, 2007 and September 10, 2007.

Location : Approximately 1800' west of the South 485 East and 500 East Road intersection, extending 100' north and 500' south along the channel between Fish Lake and Royer Lake
DOWNSTREAM: near LaGrange, Bloomfield Township, LaGrange County
W½, NE¼, SE¼, Section 35, T 37N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4608840 North, 638876 East
UPSTREAM: LaGrange County

UTM Coordinates: Upstream 4608693 North, 638809 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20873

Lake : Lake Wawasee

Applicant : Norma Dullaghan
3130 Cherry Lane
Fort Wayne, IN 46804

Description : A new vinyl seawall will be constructed along 100' of the applicant's property following the lakes legal shoreline. The wall will consist of 18" x12' sheets driven 8' into the lakebed leaving a 4' exposure from the lake bottom. The wall will then be capped with an aluminum cap with a heavy aluminum whale insert under the cap that will be tied back to the bank every 4.5' with are deadmen system. Clean pea stone will be used for backfill behind the wall then topped of with 3 to 4" of screened topsoil graded to the existing ground level. Details of the project are contained in information received electronically at the Division of Water on September 10, 2007 and in plans and information received at the Division of Water on

Location : 9893 North Marine Key Drive
near Syracuse, Turkey Creek Township, Kosciusko County
Section 23, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20874

Lake : Hoffman Lake

Applicant : Randall D Beamam
18425e auten road
south bend, IN 46637

Description : Riprap and geo textile material will be placed on the bank across the applicant's 75' channel frontage approximately 12" thick to help prevent erosion. Starting at the waters edge and working up the bank to existing ground level. Details of the project are contained in information received electronically at the Division of Water on September 10, 2007 and in plans and information received at the Division of Water on

Location : 2602 North Lakeview Drive
near Warsaw, Prairie Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20875

Stream : Pipe Creek

Applicant : Mark Mavis
2857 East Muncie Road
Columbia City, IN 46725-9319

Description : A new vinyl seawall will be constructed along 100' of the applicant's property following the lakes average/legal shoreline. The wall will consist of 18"x10' sheets driven 8' into the lakebed leaving a 2' exposure from the lake bottom. The wall will then be capped with an aluminum cap with a heavy aluminum whale insert under the cap that will be tied back to the bank every 4.5' with are deadmen system. Clean pea stone will be used for backfill behind the wall then topped of with 3 to 4" of screened topsoil graded to the existing ground level. Details of the project are contained in information received electronically at the Division of Water on September 10, 2007 and in plans and information received at the Division of Water on

Location : 2857 East Muncie Road
near Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11